




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60		A1	(11) International Publication Number: WO 99/52055 (43) International Publication Date: 14 October 1999 (14.10.99)
(21) International Application Number: PCT/US98/06898 (22) International Filing Date: 6 April 1998 (06.04.98) (71) Applicant (for all designated States except AL KP): NET-VALUE, INC. [US/US]; 1960 Bronson Road, Fairfield, CT 06430 (US). (71)(72) Applicants and Inventors (for AL KP only): BARNETT, Craig, W. [US/US]; Apartment 3E, 300 East 71st Street, New York, NY 10021 (US). BARNETT, Karen, R. [ZA/US]; Apartment 3E, 300 East 71st Street, New York, NY 10021 (US). BRAUNSTEIN, Mark [US/US]; 405 East 54th Street, New York, NY 10022 (US). (74) Agent: BARKUME, Anthony, R.; Anthony R. Barkume, P.C., Suite 200, 14 South Main Street, Sayville, NY 11782 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	

(54) Title: METHOD AND SYSTEM FOR ELECTRONIC DISTRIBUTION OF PRODUCT REDEMPTION COUPONS

(57) Abstract

A method and system for electronic distribution of product redemption coupons (18) to computers (6) located at users' homes. A centrally located repository (2) stores coupon data for downloading to the computer (6). The user may view, select, sort and print desired coupons (18) from the data. User demographic as well as coupon selection data is returned to the repository (2), coupon distributor (16) and issuers (14) for marketing analysis. The repository (2) performs coupon processing on coupon data such as variation of discounts. The repository (2) determines frequency a particular coupon (18) was viewed. Upon presentation at a retail store (10), the discount is provided to the user. Upon redemption by the store (10), transaction data is supplied to the coupon issuers (14) and distributor for integration into marketing analysis. The electronic coupon system is secured by inclusion of user-specific identification indicia printed thereon.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

METHOD AND SYSTEM FOR ELECTRONIC DISTRIBUTION OF PRODUCT
REDEMPTION COUPONS

TECHNICAL FIELD

5 The present invention relates to the electronic
distribution of secure money saving or discount coupons and
other marketing incentives and in particular to use of a
centrally located online computer system for interactively
distributing such coupons to remotely connected consumer
10 computers and for collecting user-specific data regarding
coupon usage and user demographic information from the remote
computers.

BACKGROUND ART

15 Millions of consumers regularly use product
redemption coupons and realize substantial savings as a
result. Significant time is spent clipping and sorting
coupons, discarding expired coupons and organizing current
coupons for use on shopping trips. Conventional coupon
20 distribution results in significant wasted time due to
consumers' attempts to manage their coupon use.

 Coupons are delivered to consumers through a variety
of media. The primary coupon distribution is via pull-out
25 sections in newspapers, which are known as free standing
inserts (FSIs). This accounts for just over 80% of coupons
used. Other methods of distribution include in-store shelf
coupon dispensers, check-out coupons (generally issued based
on the customer's current purchase), register receipt coupons,

in-product coupons, instant peel-off on-product coupons and direct mail coupons. In addition to manufacturers' coupons, consumers use retail store coupons, such as those issued by large retail chains on a weekly basis.

5

Some consumers use coupons on a fairly random basis. These consumers tend not to keep coupons for future use, but will review coupons available just prior to shopping to see if any of them cover products they plan to buy or if there are any for new or improved products of interest.

10

More organized coupon users maintain some form of storage system to keep coupons for future use. These consumers often clip coupons regularly from all available sources, and often have coupon filing systems by product category. They will also review their coupons regularly, discarding unused coupons which have expired.

15

For most consumers, attempts to maintain an organized coupon file often fails. The "bother" and time required to maintain organized coupon files often results in neglect of those files, even though diligent shoppers know that a consistent significant savings is easily achievable using coupons.

20

25

The notion of issuing product redemption coupons to consumers was an innovative idea to entice consumers to try new products in the hope that, after the first try of a new product at a coupon discounted price, they would become repeat

customers at the regular price. Coupons are effective tools used in launching new products. Manufacturers also find coupons can shore up flagging sales, help reduce excess inventory or win back consumers' brand loyalty, and so coupons for existing products have become customary, so much so that today's consumers have come to expect coupons. Often, coupon price incentives significantly reduce brand loyalty, and manufacturers must issue more coupons than desired to maintain market share. Market share has also been impacted by an increase in the number and variety of competing "no-name" store brands. The competitive nature of the retail industry does not allow manufacturers to reduce coupon distribution, and in some market sectors, such as cereals, the majority of purchases are made with coupons.

Consumers are most familiar with FSIs as a source for manufacturers' coupons. In 1993, the coupon redemption rate from FSIs was 2.3%, and gradually declining. The primary factors which keep the redemption rate low include consumers not needing or wanting the product advertised, consumers not bothering to clip coupons, losing clipped coupons or leaving them behind on shopping trips, lack of 100% distribution of newspapers, overcouponsing within specific areas, and unavailability of new products when the coupon is issued.

Free standing inserts currently represents the largest share of the coupon distribution industry, roughly 80.2%. On average, manufacturers who use FSIs for coupon distribution, spend approximately \$.92 per coupon redeemed,

which is the lowest redeemed cost per coupon redeemed when compared with other current coupon distribution methods. FSI coupon distribution results in high costs per coupon because of the sheer complexity of and volume of materials involved in coupon distribution and redemption. Charges to manufacturers by FSI producers cover set-up, paper, printing, freight, newspaper insertion costs, sales and marketing, overhead and profit.

Direct mail coupons accounted for approximately 4.4% of coupon distribution in 1992. Direct mail coupons may be issued as part of a nationwide campaign or a regional campaign, may be cooperative or solo, and may be mass, zip-code/lifestyle/lifestage segmented or household targeted. Regional direct mail coupons are more common, and are usually limited to marketing the products and/or services of local vendors. Companies who practice database marketing make use of direct mail campaigns for delivering targeted incentives.

Run-of-Press ("ROP") Coupons accounted for 4.1% of the coupons distributed in 1992. These coupons consist primarily of stand alone newspaper advertisements with clip-out coupons. Often these advertisements are specifically placed to coincide with a relevant feature article. This form or coupon is marketed directly or through third party coupon issuers who have the nationwide newspaper distribution channels through which to place ROP coupons.

In/on pack coupons accounted for 3.5% of the coupons distributed in 1992. On pack coupons consist of an attached coupon which is removed and redeemed at the cash register at the time of purchase. In pack coupons are found within the product and act as an incentive to customers to repurchase the same product. It is estimated that the actual cost per in/on pack coupon redeemed is significantly less than that associated with other coupon distribution methods. Most on-pack coupons are redeemed as customers pay for their purchases. However, this also means that all items are sold at the coupon discount, lowering a manufacturer's overall revenues per product more so than other types of coupons.

In 1992, various other coupon distribution methods represented 5% of coupons distributed. Two important coupon distribution methods in this category include shelf distribution and custom prepared coupon distribution. Thousands of stores use coupon dispensers which are attached to a product's shelf. Customers can pull out one coupon from the dispenser for the product advertised. This method of coupon distribution is designed to reach the consumer at the point of making a purchase decision, and has a redemption rate of approximately 18%.

Check-out coupons are printed at the check-out by a printer installed at the cash register. A computer analyzes the purchases made by each customer, and can print competitor's coupons or other coupons related to items in the

current purchase. This system has a coupon redemption rate of approximately 9%.

5 The coupon industry expends a great deal of
resources in market research, printing, issuing, distributing
and redeeming coupons, yet produces an extremely low
redemption rate. This is attributed to the haphazard systems
used by most consumers of manually clipping, filing, sorting
through, and ultimately using the coupons, and to the high
10 cost associated with targeting coupons to each consumer.

 Attempts have been made in the prior art to meet the
needs of the coupon industry and the consumer. U.S. Patent
No. 5,249,044 to Von Kohorn describes a television-based
15 coupon reception system wherein coupon information is
transmitted along with program information to a broadcast
audience. A member of the audience can generate a coupon for
subsequent redemption at a store.

20 U.S. Patent No. 5,285,278 and 5,287,181 to Holman
also teach a television-based coupon reception system. Coupon
information is encoded into a television broadcast signal and
decoded at the consumer's television by circuitry similar to
that used for closed-caption broadcast decoding. The
25 extracted coupon information is then recorded on a medium such
as a magnetic stripe card or a microprocessor-based "smart
card". The user can then present the medium at the
supermarket in order to automatically receive the appropriate
discount

U.S. Patent No. 5,185,695 to Pruchniki discloses an electronic paperless coupon system which obviates the need for a paper coupon in order to save printing, processing and clearinghouse costs as well as eliminating counterfeiting. Coupon redemption information is transmitted from a central system to local retailers, where coupon signs are placed near the related item. The discount is automatically applied at the point of sale without the need for the consumer to present a paper coupon.

U.S. Patent No. 5,176,224 to Spector teaches a closed-loop coupon system which consists of a kiosk type printer station located at a retail store. The kiosk is linked to the manufacturer(s) in order to obtain specific coupon information. The consumer selects the desired coupon at the kiosk, and the coupon is printed and dispensed. The consumer presents the coupon at the register, where the discount is applied and the discount transaction data is transmitted back to the manufacturer.

U.S. Patent No. 4,674,041 to Lemon et al. discloses a system with remotely located coupon printing stations capable of limiting the number of coupons printed in a given time period. Each coupon station has a display for indicating the available coupons, selection means to allow the consumer to choose the desired coupon, and a coupon printer. The system disables display of a particular coupon when a preselected coupon limit has been reached.

While these aforementioned prior art attempts at providing couponing systems are useful in their own right, they fail to provide for a secure and interactive coupon generation system in which the user can request, select, store, manipulate and print coupons as desired, in which user-specific information such as demographic data and data representative of those coupons so requested, selected, printed and actually used may be provided back to the coupon issuer and distributor for more efficient coupon targeting in subsequent coupon issuance and distribution.

It is therefore an object of the present invention to provide such a coupon distribution system which overcomes the aforementioned problems and shortcomings of the prior art.

It is an object of the present invention to provide an electronic coupon distribution system which can be easily accessed by masses of consumers by using a readily available personal computer rather than needing to purchase special-purpose equipment.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows a user to request transmission of coupon data and select, store, manipulate and print coupons from such coupon data.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows the coupon issuing companies to access valuable information directly from the consumer without requiring
5 specific and additional action by the consumer but rather by using the information from the user's personal computer regarding the consumer's selection, printing and actual redemption of coupons, as well as responses to demographic queries posed to the users.

10

It is a further object of the present invention to provide such an electronic coupon distribution system which allows a consumer to generate shopping lists associated with coupons selected and printed, in order to simplify the
15 shopping process and promote the use of product coupons.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows for automatic deletion of expired coupons in the user's
20 computer database and the modification of redemption amounts of coupons in the user's database, both of which can be transparent to the user.

It is a still further object of the present
25 invention to provide a secure coupon system which generates unique coupons with user-identifying data and allows the printing of a coupon only once, thus eliminating the possibility of fraud by both the consumer and the retailer.

It is a still further object of the invention to provide an efficient, low cost, zip-code/lifestyle/lifestage or household targeted coupon distribution system to tailor the incentives to each user.

5

DISCLOSURE OF THE INVENTION

In accordance with these and other objects, provided is a system for distributing and generating at a remote site product redemption coupons comprising a centrally located repository of electronically stored product redemption coupon data, transmission means operatively associated with said centrally located repository for providing data communication between said repository and a plurality of remote user computers, and a remote user computer operatively associated with said transmission means. The remote user computer in the present invention comprises interface means for providing user interaction with the centrally located repository, a memory, and a coupon data management program. The coupon data management program is implemented by the computer for requesting coupon data from the centrally located repository, for storing in the memory coupon data transmitted from the centrally located repository, and for generating printable coupon data from the stored coupon data. The remote user computer also comprises a coupon output buffer operatively associated with the data management program for storing the printable coupon data generated by said coupon data management program.

10

15

20

25

The present invention additionally comprises a printer for printing product redemption coupons from the printable coupon data stored in the coupon output buffer. Alternatively, the system may enable the user to transmit
5 electronically the printable coupon data from the coupon output buffer to the centrally located repository or directly to the retailer for electronic coupon redemption.

As a result of the present invention, a user of the
10 remote computer is able to request coupon data to be transmitted from said centrally located repository, and the user is able to instruct his computer to print or electronically transfer product redemption coupons generated from the transmitted coupon data. In particular, the user's
15 computer assembles product redemption coupons for printing by using two data components; (1) fixed coupon data which is transmitted to the user's computer during an initialization or "sign-up" process and which remains stored on the user's computer for subsequent coupon generation, and (2) variable
20 coupon data which is transmitted to the user's computer whenever he requests coupon data from the central repository.

Additionally, the coupon data management program of the present invention operates in conjunction with the remote
25 computer to allow the user to select and store certain desired coupon data from the coupon data transmitted by the centrally located repository and print coupons as selected. The coupon data management program also allows the user to generate a

shopping list which is correlated to the coupons printed for subsequent redemption.

5 In the present invention, the data exchange capabilities provided by the transmission medium between the remote computer and the central repository allow the automatic transfer of valuable information from the remote computer to the central repository and, ultimately, to the coupon distributing and issuing centers. Information related to the coupons selected and printed can be supplied to the coupon distributors and issuers, which can also use information obtained from the various retail stores as to which coupons were actually redeemed in order to more intelligently market subsequent coupons and target coupon issuance in a more cost effective manner.

15 The data exchange capabilities are further advantageously utilized in the present invention to allow, via the central repository, the updating of coupon data stored in the user's remote computer without required interaction from the user if the user is online. In particular, the central repository can delete expired coupons from the remote computer's coupon database and can vary the amount of redemption value of a non-expired coupon if so desired. The capability for the updating and deleting of coupons within a user's computer is programmed in the user's computer such that no further interaction with the central repository is required for such coupons to be deleted or updated.

Finally, the present invention provides for secure coupon generation by allowing the printing of a particular coupon only once. Further, and quite importantly, the present invention provides for the printing on each coupon of certain user-specific data, thus making each coupon printed unique. Thus, two different users with access to printing a particular coupon will each print coupons with the same product, discount, and expiration date data, yet each will be unique since printed thereon will be user-specific data, preferably in the form of a user-specific bar code. Thus, any attempts to duplicate via photocopying techniques any particular coupon will be discouraged since the coupon redemption center will detect when a particular coupon has been redeemed, will identify the user who redeems a particular coupon, and will disallow any attempt at redemption of a second coupon with identical product and user-specific data.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a block diagram schematic of the system of the preferred embodiment for the electronic distribution of coupons.

FIGURE 2 is a detailed block diagram of the remote personal computer of Figure 1 configured in accordance with the present invention.

FIGURE 3 illustrates exemplary data field formats of the electronic coupon data as implemented in the present invention.

FIGURES 4a and 4b is a pictorial representations of the online and offline display screens, respectively, which are exhibited to a user in the present invention.

5

FIGURE 5 is a diagram of a printed coupon resulting from the electronic distribution in accordance with the present invention.

10

FIGURE 6 is a schematic block diagram illustrating the main functional areas serviced by the online service provider of the preferred embodiment system.

15

FIGURE 7 is a diagram of the use of an external cue to prompt access by the user of the system.

20

FIGURE 8 is a block diagram of an alternative embodiment of the present invention in which data is transmitted between the central repository and personal computer by satellite.

25

FIGURE 9 is a flowchart of the operation of the present invention.

FIGURE 10 is a schematic block diagram of the implementation of the coupon data package generation.

BEST MODE FOR CARRYING OUT THE INVENTION

Referring to the system block diagram of Figure 1 and the flowchart of Figure 9, the electronic coupon distribution system of the preferred embodiment comprises a central located repository of electronically stored coupon data, which in the preferred embodiment is an online service provider 2. The term online service provider refers herein to any computer-based information service provider which is accessible by a remote personal computer user via a communications data link such as the public switched telephone network (PSTN) or the like, such as PRODIGY, COMPUSERVE, or AMERICA ONLINE. In addition, it is contemplated that the electronic coupon data distribution may be carried out by connection to any readily accessible Internet site such as the World Wide Web. Referring to Figure 8, it is further contemplated that electronic coupon distribution may also be carried out via digital satellite communication links, thus avoiding the need for hardwired (i.e. PSTN) connectivity between the repository and the remote user computer. Thus, any centrally located computer system which is accessible to the public by any transmission means is contemplated as being within the scope of this invention. As used herein, the term "user" denotes an individual user or a household of users linked through one account.

The online service provider has stored in its database 40 (see Figure 6 and 10) various packages of electronic coupon data, the content of which will be further described below. The electronic coupon data is provided, by a

coupon distributor 16 or coupon issuer 14, by any of various means such as electronic transmission via the PSTN or satellite data exchange. The online service provider also stores in a demographic data file 42 user-specific data, including coupons selected data, coupons deleted data, coupons printed data and user demographics, as will be described below, for subsequent transmission to a coupon distributor 16. The coupon distributor 16 will utilize the user-specific data and coupon redemption data in compiling subsequent coupon packages targeted specifically at certain user categories.

The online service provider 2 is connected with the data link 4 and is thus accessible by any remote personal computer 6 having a data communications interface 20 such as a modem (see Figure 2). The online service provider communicates with the personal computer 6 in order to transmit requested coupon data, and also in order to receive coupon requests and the user-specific data mentioned above.

The remote personal computer 6 has connected thereto a printer 8, which may be any type of computer printer capable of printing graphics. The printer 8 is instructed by the coupon data management routines 32 stored in the computer 6 in order to print printed coupons 18, as will be described in detail below.

The printed coupons 18 are used in the normal fashion by a consumer when shopping at a desired retail store 10. That is, the coupons 18 are presented to a product

checkout station 11 along with the associated products for purchase, and the discount amount shown on the coupon 18 is credited to the consumer at the point of sale. The redeemed coupons 18 are transmitted to a coupon redemption center 13 where they are electronically read, and user-specific data is stored in a coupon redemption database 12.

In addition to the usual coupon information found in prior art coupons (e.g. redemption amount, company and product name, expiration date, etc.), the coupons 18 of the preferred embodiment of the present invention contain user-specific data in the form of a unique user bar code 90, as shown graphically in Figure 5. The user bar code 90 is encoded with user-specific information such as the user name and/or other unique identification criteria such as a social security number or online service address. This information renders each printed coupon 18 unique, since an otherwise similar coupon presented by a different consumer will comprise a different user bar code 90. The use of a unique coupon 18 is but one aspect of the secure nature of the present invention as will be described in detail below.

The coupon redemption center 13 receives from a number of stores 10 the coupons redeemed, verifies the value of the redeemed coupons, determines the identification of users who redeemed the coupons, and distributes the information read from the coupons 18 to the individual coupon issuer 14 and to the coupon distributor 16. In particular, information regarding the redemption amount and the redeeming

store 10 is forwarded to the particular coupon issuer 14 named on the coupon 18, which then credits the redeeming store 10 with the total amount of discounts given. Of particular value in the present invention is the distribution of user-specific data to the coupon distribution center 16, which collates such user information and performs marketing analysis via a marketing analysis means 17 in order to compile subsequent coupon packages targeted specifically at certain user categories. The coupon distribution center 16 utilizes the user-specific redemption data along with user-specific demographic data supplied by the online service provider 2 in order to compile subsequent coupon data download packages for use by consumers once again.

An online display screen 60 is shown in Figure 4a, which is provided to a user on a display 24 of his remote computer 6 whenever he is in online communication with the service provider 2. The online display screen 60 comprises a join service function button 62, a download coupons function button 64, a help function button 66, and an online communications button 68. When the user desires to initially register for the electronic coupon distribution service, he selects the join service function button 62 which initiates a dialog with the online service provider 2 in order to request certain demographic data from the user which will be used to target specific coupon data packages for subsequent downloading. The user has the option of providing the requested information if he so desires. In addition, an offline coupon management program is transmitted

electronically to the user's computer 6 for subsequent coupon data requesting, downloading and processing.

5 Figure 6 illustrates the functional aspects of the online service provider 2 in the preferred embodiment of the present invention. The main features provided by the online service provider 2 are the coupon packages file 40, the demographic data file 42, the online communications server 44, and the help file 46. Each of the aforementioned features
10 communicates with the user via the data communications interface 48.

 The coupon packages file 40 comprises electronic coupon data and other types of advertising materials supplied
15 by the various coupon issuers 14 through the coupon distributor 16. Individual users' coupon data packages are drawn from this file based on demographic data and historic buying profiles stored in the demographic data file 42. Advertisements may consist of graphics, text, recipes,
20 competitions or other inducements or a combination thereof.

 After joining the electronic coupon service, the user can order a package of electronic coupons from the online service provider 2 by selecting the download coupon function
25 button 64. When this button is selected, commands are generated and transmitted via the data communications interface 20, through the data link 4, and up to the coupon package file 40 resident at the online service provider 2. The requested coupon data package and associated advertising

materials are transmitted by the online service provider 2 to the personal computer 6, where it is stored in the downloaded coupon data file 30a in the coupon database 30.

5 The demographic data file 42 contains data representative of demographic inquiries presented to a user at the time that the user requests a download of coupon data from the coupon package data file 40, as well as data representative of the users' responses thereto.

10 The online communication server 44 is accessed by the user selecting the online communication button 68. The online communication server is a bulletin board type file where users can post messages to a coupon distributor or
15 issuer regarding any issue of interest. The message data is transferred to the appropriate destination by the online service provider 2, which also collects the responses thereto and posts them on the online communication server 44, thus allowing the user to fetch the response when logged on at a
20 subsequent time.

 By selecting the help function button 66, the help file 46 is used as a means for providing standard help and other useful information to a user.

25 Referring to Figure 2, the remote personal computer 6 of the preferred embodiment comprises a data communications interface 20 (such as a modem) for connecting the computer to the data link 4 (such as a PSTN), a user input device 22 such

as a keyboard and mouse or other type pointing device, a display 24, and a processor 26, all of which are common to personal computers and are well known in the art. The computer 6 also comprises an output buffer 28, which typically
5 resides in random access memory. The computer 6 is configured to operate in accordance with the present invention via a coupon database file 30 and an offline coupon data management routine file 32 loaded onto a fixed memory such as a hard disk drive. All of these internal components and files are
10 connected to a data bus 21 for communication therebetween in accordance with techniques well known in the art.

The coupon database file 30 is segmented into various sections as shown in the memory map of Figure 2. The coupon database of the preferred embodiment comprises
15 downloaded coupon data 30a, which is the entire coupon data package downloaded from the online service provider 2; selected coupon data 30b, which is a subset of the downloaded data and represents specific coupons electronically "clipped" and stored therein; sorted coupon data 30c, which is selected
20 coupon data sorted in accordance with a particular set of criteria (e.g. all fruits together, then all dairy products, etc.); fixed coupon parameters and user-specific data 30d, which is certain unvarying data used in printing the coupons
25 as will be described in detail below; and store-specific data 30e, which is information regarding the product arrangement in a certain retail store 10 which will allow the user to prepare a shopping list tailored to the particular store.

The offline coupon data management routines 32 are executed by the processor 26 in conjunction with the coupon database 30 in order to request, obtain, store, select, sort, and print coupons as desired. The offline coupon data management routines 32 are executed by selecting a desired function button 52, 54, 56, or 58 as shown in the offline display screen 50 in Figure 4b. The offline display screen 50 is shown on the display 24 when the user runs the coupon data management program on his or her personal computer 6. The offline coupon data management routines 32 are executed in an offline fashion; that is, the user does not need to first be in online communication with the service provider 2. If a particular function button 52, 54, 56, or 58 chosen by the user initiates a routine 32 which requires online communication, that routine will initiate, control and terminate an online session with the service provider 2 automatically.

The request coupon download routine 32a is executed when the user desires to order a package of electronic coupons from the online service provider 2. This routine is called when the user selects the download coupon function button 54. When this routine is called, commands generated by this routine are transmitted via the data communications interface 20, through the data link 4, and up to the coupon package file 40 resident at the online service provider 2. The requested coupon data package and associated advertising materials are transmitted by the online service provider 2 to the personal

computer 6, where it is stored in the downloaded coupon data file 30a in the coupon database 30.

Prior to downloading the requested coupon data package to the computer 6, the demographic data file 42 provides certain demographic queries to the user in order to obtain valuable information for use in marketing analysis and subsequent coupon package generation. The users' responses to the queries are transmitted to the online service provider 2 and stored in the demographic data file 42 for subsequent processing.

The user may select the view function button 52 in order to view the coupons and advertisements previously downloaded. This selection will call the view coupons routine 32b, which will access the downloaded coupon data file 30a and present it to the user via the display 24.

While viewing the coupons and advertisement, the user may select a desired coupon for further sorting, storage, printing or deleting and/or shopping list generation by selecting or "clipping" the coupon with the mouse or keyboard input 22. Coupons are clipped by scrolling through related advertisements. In order to avoid the need for clipping, the user may print or delete a desired coupon. The coupons selected in this function are stored for further processing in the selected coupon data file 30b.

The coupon file function button 56 enables the user to perform several operations on his selected coupon data file 30b. The user may view the coupons selected (from the selected coupon data file 30b), and may choose any of them for printing. Further, a sortation option is provided which logically sorts, by category and subcategory, the coupons stored. Thus, the management program automatically places all the dairy coupons together, and may also place all the milk coupons together within the dairy category. This is carried out by the coupon sortation routine 32c, and is akin to the manual filing system used in the prior art and will aid the user in viewing his selected but unprinted coupons in an efficient manner. The sorted coupons may be loaded into the sorted coupon data file 30c for subsequent viewing and printing. The user may optionally sort the coupons manually by his own classification.

The shopping list function button 58 calls the shopping list generation routine 32g when selected by the user. This routine will allow the user to generate a list from a menu presented on the screen whichever items the user desires to purchase, and the user can store and/or print this list as desired. The items on the list are compared against coupon data stored in the coupon database 30 and the user is informed of their existence. The user may then print out those coupons along with the shopping list. Alternatively, the user may select certain coupons for printing, and the item associated therewith is automatically placed on the shopping list. Thus, in either fashion, the user's shopping list

generation and coupon "clipping" tasks are conveniently merged in a timesaving manner.

5 The shopping list generation routine 32g may also
advantageously use data stored in the store-specific data file
30e in order to prepare a shopping list tailored to an
individual retail store. Thus, data regarding the layout of
the store, the food items available at the store, and the
like, are used by the list generation routine 32g in order to
10 organize the purchase items accordingly. The data stored in
the store-specific data file 30e may be obtained by any of
several methods; by downloading from the online service
provider 2, by inputting via a floppy disk memory supplied by
the store, or even manually input by the user. Data for
15 different stores can be kept in the file 30e and the user
simply selects the store he intends on using at that
particular time. The user may select a standard pre-
programmed shopping list, his last generated shopping list, or
a blank shopping list from which to commence his shopping list
20 preparation.

 The coupon upload routine 32cc is called
automatically and without user request whenever the user
requests a coupon download package from the online service
25 provider 2. A record is kept by the upload routine 32cc
indicative of each coupon selected by the user and each coupon
printed by the user. This record is sent to the demographic
data file 42 in the online service provider 2, and is used for
marketing analysis along with data regarding which coupons

were actually redeemed, which information is obtained from the manufacturers' redemption agency or center.

5 Coupons are printed by the printable coupon data generation routine 32d, which is invoked by a user when he selects a print command from the coupon file function 56. This routine obtains data from two sources in the coupon database 30: the fixed coupon parameters and user-specific data file 30d, and the variable coupon data associated with
10 the particular coupon selected for printing.

 Referring to Figure 3, the data format of the fixed coupon parameters and user-specific data are set forth and include predefined border graphics which are the same for
15 every coupon printed, redemption instructions, and a user identification bar code number. The user identification bar code number is a unique number assigned to that user, e.g. his social security number or online identification number. This number will be encoded by the printable coupon data generation
20 routine 32d and printed as a bar code 90 on each coupon 18 printed for the particular user. This information will thus be obtained by the coupon redemption center and provided to the coupon distributor 16 for demographic analysis and the like.

25

 The unique user bar code 90 also renders the electronic coupon system of the present invention secure and virtually fraud-proof. Although a user is able to print out a particular coupon 18 only once (to be described in detail

below), the coupon issuer 14 could still be defrauded by a user or retailer who might photocopy a printed coupon numerous times and fraudulently and repeatedly present it for redemption. However, in accordance with the present invention, each coupon printed by a user is unique, and the scanning of a coupon presented for redemption will be stored at the coupon redemption center. Thus, the coupon issuer will know if a particular user has redeemed a particular coupon and thus disallow further redemption of a photocopied coupon bearing the same indicia.

Referring again to Figure 3, the data format of the variable coupon parameters are set forth and include the coupon expiration date, the redemption amount, the company and product information, the UPC code, the redemption address, and the description of the coupon offer.

Thus, the printable coupon data generation routine 32d combines all this information and generates a record indicative of the unique coupon to be printed. This record is temporarily stored in the output buffer 28, where it is subsequently sent to the printer 8 for printing. In the alternative, the coupon may be redeemed electronically by sending the coupon data in the output buffer via the data communications interface 20 back to the online service provider 2. This is especially useful in the "electronic shopping mall" environment now found in many online services. The electronic coupon data could also be routed via the data communications interface 20 to a retail store where the user

will be shopping, where the coupon data is held in a buffer pending purchase by the user of the matching product.

As described above, the electronic coupon
5 distribution system of the present invention allows the
printing of a particular coupon only once, thus providing for
security and guarding against fraudulent redemption. This is
accomplished by the coupon deletion routine 32e, which is
called whenever a coupon is printed and deletes the coupon
10 from the database 30 or renders it unprintable by setting an
appropriate flag. In addition, the coupon deletion routine
32e allows for automatic deletion of expired coupons by
periodically checking the expiration date field of each coupon
against a real-time clock found in the computer 6.
15 Optionally, the user may voluntarily delete any coupon which
is expired if the real-time clock is not set to the correct
date. For the user's convenience, the online service provider
2 can check the system clock of the user's computer 6 during a
communications session and, if the date is incorrect, can ask
20 the user if he would like the date adjusted automatically.

Since the actual expiration date is always printed
as part of the coupon, the function of deleting expired coupon
data from the user's computer 6 is for the convenience of the
25 user rather than for security purposes.

The system of the present invention also allows for
time-sensitive deletion of certain coupon data from the user
computer 6 which is unrelated to the expiration date. That

is, certain coupon data may be automatically deleted from the user's computer after, e.g., one month, notwithstanding that the coupon, if printed, might have an expiration date in six months. This feature is included to prompt users who know of the time-sensitive autodeletion to promptly print (and use) coupons rather than risk having them deleted from their database.

The coupon management program also can vary the redemption value of any coupon already downloaded to the user's computer 6 without the need for specific user interaction. A coupon variation routine 32f is called which aids in this task. Again, any time that a user initiates a download of coupon data, the on-line service provider 2 can update redemption amounts for coupons whose issuers have decided to change the discount amount.

Referring to Figure 5, the secure coupon 70 generated and printed in the preferred embodiment is illustrated in detail. The secure coupon 70 comprises the following fixed components taken from the fixed coupon parameter and user-specific data file 30d: border graphics 72, redemption instructions 88, and user identification bar code 90. The secure coupon 70 also comprises the following variable components which change for each coupon selected: expiration date 78, redemption amount 74, description of the offer 76, company and/or product information 80, the item's UPC number 82 and the associated UPC bar code 84, and the redemption address 86.

Referring to Figure 10, the generation of coupon data packages by the coupon distributor 16 will be explained. The information collected by the coupon distributor 16 from the online service provider 2 regarding the coupon data selected by the user, the coupon data printed by the user, and the requested demographic information is stored in a database 11. The database 11 also stores information from the coupon redemption center 13 regarding the coupons actually redeemed by the user. The database 11 further stores information regarding all coupons which are made available by the various coupon issuers 14 from which it will generate coupon data packages for subsequent downloading to users.

The information stored in the database 11 is input to the marketing and targeting analysis means 17, which carries out the function of analyzing the aforementioned information in a manner known in the art to arrive at different coupon packages. That is, it may be determined by the analysis means 17 that users with dogs in their household (which is known by the demographic responses) will get a certain package comprising dog food coupons. It may be further determined that users who select, print and redeem dog food coupons of Brand X will get coupons issued by Brand Y, or will get only low value coupons since they are already dog food coupon users, etc. That is, depending on the marketing and targeting criteria and objectives, the analysis means will generate coupon packages as desired.

Thus, the analysis means generates a number of differing coupon data packages for transmittal to the online service provider 2. The analysis means also provides specific mapping information which will instruct the online service provider as to which user should be provided with which package(s). For example, user 1 may be mapped to coupon data packages 2 and 3; user no. 2 to packages 3 and 6, etc. This mapping function may be carried out by the coupon distributor and provided to the online service provider at regular intervals, e.g. once per week. Thus, the coupon selection, printing and redemption habits may be analyzed over a time period and used to determine the subsequent targeted packages.

In addition to mapping certain coupon data packages to certain users, certain advertising packages may be mapped to the users in a similar fashion.

In accordance with the present invention, the marketing analysis, coupon packaging, and coupon package distribution functions carried out by the coupon distributor 16 may be carried out at the central data repository, i.e. Internet web site. Further, the coupon redemption and user redemption information processing functions individually carried out by the coupon redemption center 13 and the individual retail stores 10 may be combined into a single redemption center, as shown by the dotted line in Figure 1. The physical layout of the functions within the system of the present invention is a matter a practicality and choice of the

systems designer and does not impact the utility of the present invention.

In an alternative embodiment of the present invention, the user is provided with a visual or auditory stimulus or cue to suggest an access of the electronic coupon distribution system. Referring to Figure 7, a message or logo may be included along with the advertising material normally provided on television, in the newspapers, and the like. This will indicate to a user that he should access the online service provider 2 in order to obtain coupon data related to the advertised product. The availability of the coupon could be time-sensitive, which would provide further incentive to the user to use the system in a prompt and efficient manner. When the radio media is used, a tonal or spoken cue may be included during the advertising message to accomplish the same result.

The amount of redemption discount included with a coupon downloaded to a user may be varied depending on certain demographic information that the system has about the user. For instance, the system may provide a certain value for known users of a brand (which information it will obtain by demographic inquiry or through previous redemptions in the system), and it may provide a higher discount in order to provide an incentive to users of a competitive brand. The ability to vary the value of a discount offer in accordance with such demographic and usage data is a unique advantage

offered by the system of the present invention and heretofore unavailable in the prior art.

Referring to Figure 8, an alternative means of communication between the online service provider 2 or the coupon distributor 16 and the remote computer 6 is illustrated. A satellite communications apparatus 94 is advantageously used to provide a wireless data link 4. In this embodiment, the data communications interface 20 is a satellite antenna dish or other transceiver unit which provides operative communication between the remote computer 6 and the satellite 94. A similar unit is located at the online service provider 2 in order for full wireless data communications to be achieved.

The flowchart of Figure 9 illustrates the flow of information in the system of the present invention. The information flow illustrated therein has been described in detail in connection with the implementing system.

In a further alternative embodiment of the present invention, the functions of the online service provider 2 are carried out at a site on the Internet. That is, a user may access the coupon data repository by accessing an appropriate Internet site. In this embodiment, the downloaded coupon management routines are encoded with a unique user identification number, which may be for example the user's e-mail Internet address. When the user requests coupon data packages to be transmitted, the user identification number is

encrypted and sent to the Internet site along with the request. Appropriate routines are implemented at the Internet site to decrypt the user's identification number and compare it against a list of valid members in order to ensure the validity of the user.

In another alternative embodiment of the present invention, all coupon data management functions are carried out by the online service provider 2 rather than by the offline coupon data management routines 32. In this case, the speed of access of the online service provider 2 must be high, for example on the order of 28.8kbps. When high speed communications are used, the need for offline data manipulation is eliminated and all processing can be carried out in an efficient manner while connected to the online provider 2.

CLAIMS

1. A system for distributing and generating at a remote site product redemption coupons comprising:

5 (a) a centrally located repository of electronically stored product redemption coupon data;

(b) transmission means operatively associated with said centrally located repository for providing data communication between said repository and a plurality of remote user computers; and

10 (c) a remote user computer operatively associated with said transmission means, said remote user computer comprising

interface means for providing user interaction with said centrally located repository,

15 a memory,

a coupon data management program for requesting coupon data from said centrally located repository, for storing in said memory coupon data transmitted from said centrally located repository, and for generating printable coupon data from said stored coupon data, and

20 a coupon output buffer operatively associated with said data management program for storing said printable coupon data generated by said coupon data management program;

25 whereby a user of the remote computer is able to request coupon data to be transmitted from said centrally located repository, and said user is able to instruct said computer to output product redemption coupons generated from said transmitted coupon data.

2. The system of claim 1 further comprising a printer operatively associated with said coupon output buffer for printing product redemption coupons from said printable coupon data stored in said coupon output buffer.

3. The system of claim 1 further comprising means for enabling transmission of said printable coupon data from said coupon output buffer to said centrally located repository for electronic coupon redemption.

4. The system of claim 2 wherein said coupon data management program enables a user to select desired coupon data from said transmitted coupon data and wherein said selected coupon data is stored in said memory;

whereby said user is able to instruct said computer to print product redemption coupons generated from said selected coupon data.

5. The system of claim 4 wherein data indicative of said stored selected coupon data is transmitted to said centrally located repository for subsequent processing and analysis.

6. The system of claim 5 wherein certain of said stored selected coupon data is printed, and wherein data indicative of said printed coupons is transmitted to said centrally located repository for subsequent processing and analysis.

7. The system of claim 4 wherein said coupon data management program further comprises means for sorting said selected coupon data by a predetermined classification and
5 wherein said sorted coupon data is stored in said memory.

8. The system of claim 2 wherein said coupon data management program further comprises list generation means for
10 generating a list of purchase items.

9. The system of claim 8 wherein said list generation means automatically generates a list of purchase items correlated to said stored coupon data.

10. The system of claim 9 wherein said list generation means allows the user to add thereto purchase items
15 not associated with said stored coupon data.

11. The system of claim 8 wherein said list generation means allows the user to select certain items and
20 wherein coupon data associated with at least some of said selected items is generated into printable coupon data and printed by said printer.

12. The system of claim 8 wherein said purchase item list generation means sorts said purchase items thereon
25 in a manner correlated to an expected organization of purchase items in a desired store.

13. The system of claim 12 wherein data representative of the expected organization of purchase items in the desired store is provided by said centrally located repository.

5

14. The system of claim 2 wherein said printable coupon data is generated additionally from user-specific data stored in said memory;

whereby said product redemption coupons printed by said printer comprise information related to the transmitted coupon data and to the particular user of the remote computer.

10

15. The system of claim 14 wherein said coupon data management program enables the generation and printing of a particular product redemption coupon only once.

15

16. The system of claim 15 wherein said user-specific data comprises an identification indicia unique to the particular user of the remote computer;

whereby each of said product redemption coupons printed by said printer is thus unique.

20

17. The system of claim 16 wherein said unique product redemption coupon comprises a bar code encoded with said identification indicia of said user.

25

18. The system of claim 2 wherein said coupon data comprises an expiration date field indicative of a coupon expiration date, and wherein said coupon data management

program further comprises means for deleting said coupon data when said coupon expiration date has been reached or passed.

5 19. The system of claim 2 wherein said coupon data comprises an expiration date field indicative of a coupon expiration date, and wherein said centrally located repository deletes certain coupon data from said remote user computer when said coupon expiration date has been reached or passed.

10 20. The system of claim 2 wherein said coupon data comprises a redemption amount field indicative of a coupon redemption amount, and wherein said coupon management program varies said redemption amount field of certain coupon data.

15 21. The system of claim 2 wherein said coupon data comprises a redemption amount field indicative of a coupon redemption amount, and wherein said centrally located repository varies said redemption amount field of certain coupon data.

20 22. The system of claim 2 wherein said coupon data management program comprises means for collecting user-specific data and for transmitting collected user-specific data to said centrally located repository for subsequent
25 processing and analysis.

 23. A system for issuing, distributing, remotely generating and redeeming product redemption coupons comprising:

(a) a centrally located repository of electronically stored product redemption coupon data, wherein said coupon data is provided by a coupon issuing center;

5 (b) transmission means operatively associated with said centrally located repository for providing data communication between said repository and a plurality of remote user computers;

(c) a remote user computer operatively associated with said transmission means, said remote user computer
10 comprising

interface means for providing user interaction with said centrally located repository,

a memory,

a coupon data management program for requesting
15 coupon data from said centrally located repository, for storing in said memory coupon data transmitted from said centrally located repository, and for generating printable coupon data from said stored coupon data, and

a coupon output buffer operatively associated
20 with said data management program for storing said printable coupon data generated by said coupon data management program;

(d) a printer operatively associated with said coupon output buffer for printing product redemption coupons from said printable coupon data stored in said coupon output
25 buffer;

(e) product checkout means located at a consumer store for providing discount amounts correlated to said printed product redemption coupons when said coupons are

presented by a consumer in association with a product purchase;

5 (f) redemption information collection means for reading from said coupons redemption information and for storing redemption information regarding coupons presented by a consumer in association with a product purchase and for providing said redemption information to a coupon issuing center for subsequent analysis; and

10 (g) a coupon issuing center for issuing additional product redemption coupon data to said centrally located repository, said coupon issuing center comprising marketing data analysis means for issuing said additional product redemption coupon data based upon said redemption information provided by said redemption information collection means;

15 whereby a user of the remote computer is able to request coupon data to be transmitted from said centrally located repository, instruct said computer to print product redemption coupons generated from said transmitted coupon data, present said printed coupons at a consumer store and
20 receive a discount amount, and whereby information related to the consumers' redemptions is supplied to the coupon issuing center and used as a basis to determine effective subsequent coupon distribution.

25 24. The system of claim 23 wherein:

said coupon data management program enables a user to select desired coupon data from said transmitted coupon data;

said selected coupon data is stored in said memory,

data indicative of said stored selected coupon data is transmitted, via said centrally located repository, to said coupon issuing center; and

5 said marketing data analysis means at said coupon issuing center additionally bases the issuance of additional product redemption coupon data on said selected coupon data.

25. The system of claim 24 wherein:

10 certain of said stored selected coupon data is printed;

data indicative of said printed coupons is transmitted, via said centrally located repository, to said coupon issuing center; and

15 said marketing data analysis means at said coupon issuing center additionally bases the issuance of additional product redemption coupon data on said printed coupon data.

26. The system of claim 23 wherein said printable coupon data is generated additionally from user-specific data stored in said memory;

whereby said product redemption coupons printed by said printer comprise information related to the transmitted coupon data and to the particular user of the remote computer.

25 27. The system of claim 26 wherein said coupon data management program enables the generation and printing of a particular product redemption coupon only once.

28. The system of claim 27 wherein said user-specific data comprises an identification indicia unique to the particular user of the remote computer;

5 whereby each of said product redemption coupons printed by said printer is thus unique.

29. The system of claim 28 wherein said unique product redemption coupon comprises a bar code encoded with said identification indicia of said user.

10

30. The system of claim 23 wherein said coupon data comprises an expiration date field indicative of a coupon expiration date, and wherein said coupon data management program further comprises means for deleting said coupon data
15 when said coupon expiration date has been reached or passed.

31. The system of claim 30 wherein said coupon data comprises an expiration date field indicative of a coupon expiration date, and wherein said coupon data management
20 program deletes certain coupon data from said remote user computer when said coupon expiration date has been reached or passed.

32. The system of claim 23 wherein said coupon data
25 comprises a redemption amount field indicative of a coupon redemption amount, and wherein said centrally located repository varies said redemption amount field of certain coupon data.

33. The system of claim 23 wherein:

said coupon data management program comprises means for collecting user-specific data and for transmitting collected user-specific data, via said centrally located repository, to said coupon issuing center; and

said marketing data analysis means at said coupon issuing center additionally bases the issuance of additional product redemption coupon data on said user-specific data.

34. A method for printing product redemption coupons at a remote user computer site comprising the steps of:

(a) requesting a centrally located repository of electronically stored product redemption coupon data to transmit said coupon data to said remote user computer;

(b) storing in a memory associated with said remote user computer coupon data transmitted from said centrally located repository,

(c) generating printable coupon data from said stored coupon data, and

(d) printing product redemption coupons from said printable coupon data.

35. The method of claim 34 further comprising the step of selecting desired coupon data from said stored coupon data and storing said selected coupon data in said memory.

36. The method of claim 35 further comprising the step of transmitting to said centrally located repository data indicative of said selected coupon data.

5 37. The method of claim 35 further comprising the step of transmitting to said centrally located repository data indicative of said printed coupons.

10 38. The method of claim 34 further comprising the step of sorting said stored coupon data by a predetermined classification and storing said sorted coupon data in said memory.

15 39. The method of claim 34 further comprising the step of generating a shopping list at least partially including some items corresponding to those coupons printed.

20 40. The method of claim 34 wherein said stored coupon data comprises (i) variable coupon data received from said centrally located repository in response to the user's request, said variable coupon data being indicative of an item to be purchased and a discount or redemption amount to be applied, and (ii) fixed coupon data indicative of and unique to said user.

25 41. The method of claim 34 wherein said coupon data includes an expiration date field and further comprising the step of deleting from said memory coupon data which has expired.

42. The method of claim 34 wherein said coupon data includes a redemption amount field and further comprising the step of varying the data in said redemption amount field.

5

43. The method of claim 34 further comprising the step of transmitting user-specific data to said centrally located repository for subsequent processing and analysis.

10

44. A method of issuing, distributing, remotely generating and redeeming product redemption coupons comprising the steps of:

- 15 (a) requesting a centrally located repository of electronically stored product redemption coupon data to transmit sets of said coupon data to a remote user computer;
- (b) storing in a memory associated with said remote user computer the coupon data transmitted from said centrally located repository;
- (c) generating printable coupon data from said stored
20 coupon data;
- (d) printing a product redemption coupon from said printable coupon data;
- (e) redeeming said coupon at a consumer store;
- (f) obtaining from said coupon data indicative of
25 the redeeming consumer and the product redeemed;
- (g) determining from said obtained data subsequent sets of coupon data to be stored in said centrally located repository.

45. The method of claim 44 further comprising the steps of selecting desired coupon from said stored coupon data and transmitting to said centrally located repository data indicative of said selected coupon data; and wherein the
5 subsequent coupon set determination step utilizes said data indicative of said selected coupon data.

46. The method of claim 45 wherein certain of said
selected coupon data is printed into coupons and data
10 indicative of said printed coupons is transmitted to said centrally located repository; and wherein the subsequent coupon set determination step utilizes said data indicative of said printed coupons.




FIG.1

2/8




FIG. 2

3/8

EXPIRATION DATE	REDEMPTION AMOUNT	COMPANY AND PRODUCT DATA	UPC CODE	REDEMPTION ADDRESS	OFFER DESCRIPTION
--------------------	----------------------	--------------------------------	-------------	-----------------------	----------------------

VARIABLE COUPON DATA FIELDS

BORDER GRAPHICS	REDEMPTION INSTRUCTIONS	USER ID BAR CODE
--------------------	----------------------------	---------------------

FIXED COUPON DATA FIELDS

FIG. 3

ONLINE	
JOIN	DOWNLOAD COUPONS
HELP	TALK TO US

FIG. 4A

OFFLINE	
VIEW	DOWNLOAD COUPONS
COUPON FILE	SHOPPING LIST

FIG. 4B

4/8



FIG. 5




FIG. 6

6/8




FIG. 7




FIG. 8

7/8




FIG. 9

8/8




FIG. 10

INTERNATIONAL SEARCH REPORT

Internat Application No
PCT/US 98/06898

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 512 509 A (CATALINA MARKETING INTERNATIONAL, INC.) 11 November 1992 see abstract see column 4, paragraph 3 - column 8, paragraph 2	1-46
Y	US 4 674 041 A (JAMES K. APPLETON) 16 June 1987 see abstract see column 2, paragraph 2	1-46
A	SCHMITT, E.: "Der gläserne Verbraucher" ELEKTRONIK, vol. 40, no. 23, 12 November 1991, pages 42-45, XP000267143 see page 43, right-hand column, paragraph 3 - page 44, middle column, paragraph 1 see page 45, left-hand column, paragraph 2	1-46
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

23 December 1998

Date of mailing of the international search report

04/01/1999

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Skulikaris, I

INTERNATIONAL SEARCH REPORT

Internat. Application No
PCT/US 98/06898

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	TANNER, R.: "A New Dimension in Marketing" PROGRESSIVE GROCER, vol. 66, no. 5, May 1987, page 133, 134, 136 XP000567198 see the whole document -----	1-46

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/06898

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0512509 A	11-11-1992	AU 662153 B	24-08-1995
		AU 1928092 A	21-12-1992
		BG 98172 A	15-08-1994
		BR 9205979 A	02-08-1994
		CA 2067987 A	07-11-1992
		ES 2088832 T	01-10-1996
		FI 934597 A	08-11-1993
		HU 66049 A	28-09-1994
		IL 101789 A	31-10-1996
		MX 9202099 A	01-11-1992
		NO 933747 A	05-01-1994
		NZ 242614 A	26-07-1995
		SK 115793 A	06-04-1994
		WO 9220030 A	12-11-1992
		US 5832457 A	03-11-1998
		ZA 9203270 A	08-03-1996
US 4674041 A	16-06-1987	AU 3397984 A	11-04-1985
		EP 0156856 A	09-10-1985
		WO 8501373 A	28-03-1985